SPRAYERS Solo

Solo Sprayers

German Manufactured Solo backpack sprayers are constructed of high density polyethylene and with high quality seals, gaskets and O-rings to provide excellent chemical resistance and durability. Built-in strainers, screens and filters help keep debris out of nozzles.

AND CONTRACTOR

Solo 456 Sprayer 5L manual sprayer with 3 bar Easy cleaning, durable constru	•	code s.	SPRA101	solo
Solo 457 Sprayer 7.5L manual sprayer with 3 ba Easy cleaning, durable constru	•	code s.	SPRA112	
Solo 473D Sprayer Lightweight backpack sprayer Maximum spray pressure 4 b			SPRA29 litre tank size.	solo
Solo 475 Classic Sprayer Lightweight, non-corrosive, hig provides unmatched durability and a 15 litre tank size. Maxim	and reliability. With prov	ven diaphragm p		Solo
Solo 475 Comfort Line Spi The 15L UV-resistant plastic t carrying comfort. Key feature: a handle with integral spray w Maximum spray pressure 4-6	ank is ergonomically des s include adjustable pum and retainer and wide sł	p levers, quality		




132

01 843 7808


SPRAYERS Solo

Solo 475 Pro Professional Sprayer 15L code SPRA60

Highly professional tool, complete with lifting handle, extendable lance, pressure gauge, adjustable brass nozzle and comfort adjustable, padded harness. Stable, durable and low maintenance, even over long periods in use. High quality diaphragm pump. Suitable for use with professional pesticides.







NAD

134

01 843 7808

SPRAYERS Cooper Pegler



Cooper Pegler Sprayers

CP Classic series has a contoured tank with rounded skirt and recessed straps. This allows the user to work for many hours without discomfort. It is simple to use. The spray tank is not pressurised and spraying is controlled from the trigger valve. Robust and lightweight design, diaphragm pump very resistant to impurities in water. Designed and built to comply with future international safety standards.

01 843 7808	135			www.nad.ie			
NAD							
Brass Trigger for CP Sprayer To go with brass lance.		code	TRIG02				
Plastic Trigger for CP15 and CP3 To go with plastic lance.		code	TRIG01	ħ			
Sprayer Hood for CP3/CP15 Helps to reduce spray drift to avoid pla Two types are available: Type 1: Wide shield for spraying inter- Type 2: Policone sprayer hood.	Ty ant damage.	pe 1 code pe 2 code	SPRA11 POLIO1				
CP15 Classic Knapsack Sprayer	15L	code	SPRA15	CP15			
CP3 Classic Knapsack Sprayer	20L	code	SPRA05				

SPRAYERS Cooper Pegler



Replacement Lance for CP3/CP15	i	code	SPRA02				
		~					
Lance Extension 1m		code	LANC08				
ldeal for distant targets.		-					
Brass Lance for CP Sprayer		code	LANC06				
To go with brass trigger.		-					
4 Nozzle Boom for CP Sprayer		code	NOZZO5				
			• •				
Nozzle Double for CP3/CP15		code	NOZZ08				
Double Nozzle for higher volumes with a	a fine mist.						
Nozzles Flat Fan		code	NOZZ22				
Nozzles Tips Polyjet		code	NOZZ25				
Various colours available.				~			
NAD							
01 843 7808	136			www.nad.ie			

SPRAYERS Sprayer Accessories

Sprayer Service Kit CP3/CP15

SPRA35 code

Prepacked Service Kit essential to easy maintenance and reduce down time. Spare Parts Available to order.

Designed and built to comply with international safety standards.

Farmura F25 Battery Powered Spray System SPRA16 code

The F25 Powered Spray System has been introduced to make the application of Farmura Liquids and other turf and landscape liquid products easy and cost efficient. Simple to use and maintain, the F25 employs the latest pump and spray technology for fast accurate application.

- 25 litre tank, pivoted for easy emptying and washing out
- Will cover 500m² in approx. 15 minutes
- 1.5 metre spray boom with anti-drip nozzles
- Gives up to 2 hours constant spray from one charge ٠
- Rechargeable battery powered pump with dry running capability •
- Easy on/off switch for instant spray control •
- Complete with battery charger unit and calibration sheet
- Fold down handlebars for easier transport and storage
- Tough three-wheel trolley with pneumatic tyres
- Optional hand lance for spot treatment and landscape work.







137